

NF5CA567B  
TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
72	58/18	32/18	14/24	5/5
CHILD CAPACITY	850	MAX FALL HEIGHT	120	


R5

FOR KIDS  
AGES  
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # NF5CA567B  
PROJECT # NF5CA567B  
DATE 8/2/2023

Playcraft Direct, Inc.  
MIN. USE ZONE 89' x 115' (26.956m x 34.836m)




### TOP VIEW

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
72	58/18	32/18	14/24	5/5
<b>CHILD CAPACITY</b>	850	<b>MAX FALL HEIGHT</b>	120	

FOR KIDS  
AGES  
5-12

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

**Playcraft Direct, Inc.**

**MIN. USE ZONE** 89' x 115' (26.956m x 34.836m)



NF5CA567B  
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
72	58/18	32/18	14/24	5/5

R5


FOR KIDS  
AGES  
5-12

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # NF5CA567B  
DATE 8/2/2023


Playcraft Direct, Inc.  
MIN. USE ZONE 89' x 115' (26.956m x 34.836m)



**NF5CA567B**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** NF5CA567B  
**PROJECT #** NF5CA567B  
**DATE** 8/2/2023



**NF5CA567B**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** NF5CA567B  
**PROJECT #** NF5CA567B  
**DATE** 8/2/2023

**NF5CA567B**

**Project #** NF5CA567B

**Date** 8/2/2023

Item / Part Number	Description	Qty
<b>[NF5CA567B]</b>		
HS-1004-R	Collars	508
HS-1004-R35	Collars R35	17
A2-2433	Shroom Stepper (Medium)	1
A2-2438-S	Spring Shape (Round, Spring Mount)	1
GF-7001	Flat Cap, R5	6
GF-7002	Dome Cap, R5	74
S-1005-R5F-9-012-051	Post, 5ft, 12in (51in)	1
S-1006-R5F-9-024-063	Post, 6ft, 24in (63in)	2
S-1007-R5-07ft	Post, 07ft R5	2
S-1007-R5F-9-036-075	Post, 7ft, 36in (75in)	2
S-1008-R5-08ft	Post, 08ft R5	7
S-1009-R5-09ft	Post, 09ft R5	1
S-1009-R5F-9-060-099	Post, 9ft, 60in (99in)	1
S-1010-R5-10ft	Post, 10ft R5	5
S-1011-R5-11ft	Post, 11ft R5	10
S-1012-R5-12ft	Post, 12ft R5	7
S-1013-R5-13ft	Post, 13ft R5	16
S-1014-R5-14ft	Post, 14ft R5	6
S-1015-R5-15ft	Post, 15ft R5	20
S-1016-R5-16ft	Post, 16ft R5	9
S-1017-R5-17ft	Post, 17ft R5	1
S-1018-R5-18ft	Post, 18ft R5	2
S-1019-R5-19ft	Post, 19ft R5	6
S-1020-R5-20ft	Post, 20ft R5	12
S-1021-R5-21ft	Post, 21ft R5	10
S-11011-13011-R5	Half Square Deck w Walls R5	1
S-1101-R5	Square Deck	18
S-1102-R5	Tri-Deck	17
S-1103-R5	Hex Deck, Half (5 Post)	15
S-1106-R5	Hex Deck, Half (4 Post)	6
S-1109-R5	Balcony Deck	3
S-1109-R5-MT	Balcony Deck w/ Wheel	1
S-1109-R5-T	Balcony Deck w/ Telescope	1
S-1110-R	Filler, 12in	3
S-1112-R	Filler, 18in	1
S-1201-3R5	Easy Access Stairs, 36in	1

<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
S-1206-36IW	ADA Stairs, 36in Rise w/ Infinity Walls	2
S-1208-RW-6	Ramp 72in (6in Incline w/ Walls)	1
S-1208-R-WALL12	Ramp 144in (Ground w/ Walls, Inc.)	1
S-1208-R-WALL24	Ramp 144in (06-12in High w/ Walls, Inc.)	1
S-1208-R-WALL36	Ramp 144in (18-24in High w/ Walls, Inc.)	1
S-1208-R-WALL48	Ramp 144in (30-36in High w/ Walls, Inc.)	1
S-1208-R-WALL60	Ramp 144in (42-48in High w/ Walls, Inc.)	1
S-1208-RWLFLAT36	Platform 144in (Height: 36in w/ Walls)	1
S-1209-36IW	Infinity Transfer Station, 48in-R	1
S-1209-48HW-R5	Transfer Station, 60in-L (WHW)	1
S-1209-48IW	Infinity Transfer Station, 60in-R	1
S-1210-60	Climber, Vertical Ladder 54-60in	1
S-1212-3R5	Climber, Vertical Step 30-36in	1
S-1213-8R	Climber, Firepole 90-96in	1
S-1223-5R	Climber, Spiral 54-60in	1
S-1228-3	Climber, Bedrock 36in	1
S-1229-5R	Climber, Cross Loop 54-60in	1
S-1232-5-HR	Climber, Track 54-60in (w/ Hand Rails)	1
S-1233-3-HW	Climber, Disc 30-36in (w/ HW)	1
S-1233-4-HW	Climber, Disc 42-48in (w/ HW)	1
S-1233-5-MC	Climber, Disc 54-60in	1
S-1234-8R	Climber, Spiral Step 90-96in	1
S-1237-3R5	Climber, Vertical Rock 30-36in	1
S-1242-R5	Deck to Deck Ladder (60in Rise)	2
S-12461-4	Climber, Cargo Net 42-48in	1
S-1248-8	Climber, Poly Climbing Wall 90-96in	1
S-1249-DDH1R5	Geo-Wave Link 12in (Horiz, Incl. DTD Left)	1
S-1249-DGH	Climber, Inc. Geo-Wave 18-24in (H, DTG, R)	1
S-1261-R5E	Climber, Ebb	1
S-12801-L-R5	Climber, Sunrise 54-60in (Left)	1
S-1280-4R5	Climber, Swoop Rung 42-48in	1
S-1282-8	Climber, Curved Rung Ladder 90-96in	1
S-1293-R5	Net Tower Ladder	5
S-1301-IG	Infinity Ground Wall (Standard)	2
S-1301-IU54	Wall, Infinity (Below Deck, Above Wall, 96)	2
S-1301-IU72	Wall, Infinity (Above Wall, Below Barrier)	2
S-1301-IUD3175	Wall, Infinity (Above Panel, Steel Roof)	6
S-1301-IUD3475	Wall, Infinity (Above Wall, Steel Roof)	3
S-1301-IW	Wall, Infinity (Standard)	10
S-1301-IW30	Wall, Infinity 30in (Filler)	2

<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
S-1301-IW60	Wall, Infinity 60in (Filler)	1
S-1301-RSSP1675	Push-Out Barrier (Above Wall, Double Bar)	1
S-1303-R5	Single Slide SitDown Hood	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	4
S-1306-R5	Double Slide SitDown Hood	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1309-ADA-R-R5	Half Walls ADA (Single, Right)	1
S-1309-IW-1L	Infinity Half Wall (Left)	2
S-1309-IW-1R	Infinity Half Wall (Right)	2
S-1309-IW-R5	Infinity Half Walls (Pair)	26
S-1310-IW-R5	Infinity Transition Wall	4
S-1314-1948-B-R5R	Access Wall w/ Handle (Right)	1
S-1333-R5G-T	Wall Seat Panel (Tall)	1
S-1362-16132-R5	Push-Out Barrier (Bug Eye)	2
S-1410-144R5	Traverse, Loop (144in)	1
S-1413-R590	Traverse, Track Ride (90in)	1
S-1414	Lily Pad Step 12-18in	2
S-1414-30	Lily Pad Step 24in	4
S-1419-R5SIR	Traverse - Inc. Disc 30-36in (S-Shaped, R)	1
S-1426-270-R5	Traverse, Loop (Round, 270 Degree)	1
S-1500-2I-R5	Crawl Tube, 12 Inclined (2-Section)	2
S-1519-90R5	Bridge, Marsh (90in)	2
S-1535-3DTG-R5	Climber, Crawl-Netix 36in (DTG, 36)	1
S-1536-ISL	Climber, Crawl-Netix Inc. S-Shaped (72, L)	1
S-1600-R5G	Crawl Thru Panel	1
S-1603-R5	Bubble Mirror Panel	1
S-1604-R5	Chime Panel	1
S-1605-R5	Clock Panel	1
S-1606-R5	Dino Panel	1
S-16071-R5-DM	Story Time Panel	1
S-1607-R5	Maze Panel	1
S-1608-R5	Memory Panel	1
S-1610-R5	Peek Panel	1
S-1613-R5G	Tube Panel	1
S-1614-R5	Slider Panel	1
S-1615-R5G	Store Panel	1
S-1617-R5	Window Panel	3
S-1625-R5	Driver Panel	1
S-1627-R5G	Abacus Panel	1
S-1630-R5	Hourglass Panel	1

<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
S-1631-R5	Pinball Panel	1
S-1634-R5	Labyrinth Panel	1
S-1643-R5	Pilot Panel	1
S-16506-R5	Hypno Station Panel	1
S-1652-R5G	Animal Locator Panel	1
S-1655-4R5	Reach Panel, 48in	1
S-1656-R5G	Theater Panel	1
S-1657-R5G	Astronaut Panel	1
S-1658-R5	Drum Panel	1
S-1661-R5	Panel Pal, Bell	1
S-1664-R5	Panel Pal, Tic-Tac-Toe	1
S-1665-R5	Panel Pal, Dialer	1
S-1666-R5	Panel Pal, Spinner	1
S-1667-R5	Panel Pal, Driver	1
S-1679-R5	Bell Panel	1
S-1684-R5	Sign Language Panel	1
S-1685-R5	Mosaic Panel	1
S-1702-3R5	Slide, Double 36in	1
S-1705-3	Slide, Quarter Turn 36in	1
S-1707-10SPRR5	Slide, Tube 120in (Spiral, Right)	1
S-1707-4LR5	Slide, Tube 48in (L-Shaped, Left)	1
S-1707-9U-R5	Slide, Tube 108in (U-Shaped, Left)	1
S-1710-8-LSSRS	Slide, Twister 96in (L-S-S-R-S)	1
S-1710-8-RSSLS	Slide, Twister 96in (R-S-S-L-S)	1
S-1710-8-SRSLL	Slide, Twister 96in (S-R-S-L-L)	1
S-1710-9-SSRRSS	Slide, Twister 108in (S-S-R-R-S-S)	1
S-1719-5CHV	Roller Slide, 60in (Chevrons)	1
S-18012-R5	Metal Roof, 2-Post Shade	3
S-18016-R5	Metal Roof, Gable Shade	1
S-18027-R520	Shade Sail Canopy, 20ft	2
S-18028-R514	Shade Sail, Hex 14ft	3
S-1803-R5STL	Metal Roof, Hex	1
S-1806-R5STLCUP	Metal Roof, Hex (Extended w/ Cupola)	1
S-1926-LR5	Center Access Hex Net Deck (96in)	1
S-1932-R5	Hand Spin Cyclor (Post Mounted)	2
S-1941-R5-ADA	Boogie Board ADA (w/ Half Walls)	1
S-1945-R5	Orbit Wheel	1
S-1961-2	Climber, Step-Up 24in (Rock)	1
S-1961-R	Rock Step	2
S-1974-R5	Gyro-Pod Spinner	1



<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
S-5101	Open Frame	2
S-5102	2-Rung Access Ladder	2
S-5103	Geo-Hex Wall	1
S-5201-DL	Hex Net Bay (Deck)	1
S-5203-DL	Tri-Ring Bay (Deck)	1
S-5206-DL	Explorers Arch Bay (Deck)	1
S-5301	Hex Net Extension	1