

# R501AB38A

## TOP VIEW

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0/0	4/3	3/3
CHILD CAPACITY	92	MAX FALL HEIGHT	72	


R5

FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R501AB38A  
PROJECT # R501AB38A  
DATE 8/8/2024

Playcraft Direct, Inc.

MIN. USE ZONE 42' x 35' (12.529m x 10.437m)



R501AB38A  
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0/0	4/3	3/3

R5


FOR KIDS  
AGES  
5-12

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).


WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**R501AB38A**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
5-12




**STRUCTURE #** R501AB38A  
**PROJECT #** R501AB38A  
**DATE** 8/8/2024

**R501AB38A**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R501AB38A  
**PROJECT #** R501AB38A  
**DATE** 8/8/2024

**R501AB38A**
**Project #** R501AB38A

**Date** 8/8/2024

Item / Part Number	Description	Qty
<b>[R501AB38A]</b>		
HS-1004-R	Collars	91
GF-7001	Flat Cap, R5	1
GF-7002	Dome Cap, R5	8
S-1005-R5F-3-018-057	Post, 5ft, 18in (57in)	1
S-1008-R5-08ft	Post, 08ft R5	1
S-1010-R5-10ft	Post, 10ft R5	1
S-1011-R5-11ft	Post, 11ft R5	2
S-1012-R5-12ft	Post, 12ft R5	1
S-1013-R5-13ft	Post, 13ft R5	3
S-1014-R5-14ft	Post, 14ft R5	6
S-1101-R5	Square Deck	2
S-11021-R	Spiral Deck, (Right, 24in)	2
S-1102-R5	Tri-Deck	1
S-1105-R5	Half Deck	2
S-1224-6R	Climber, Stacked Loop 66-72in	1
S-1234-6R	Climber, Spiral Step 66-72in	1
S-1237-6R5	Climber, Vertical Rock 66-72in	1
S-1293-R5	Net Tower Ladder	4
S-1306-R5	Double Slide SitDown Hood	1
S-1309-2-R5	Half Walls (Pair) R5	3
S-1309-R5	Transfer Point (Half Wall - Left)	1
S-1309-R5	Transfer Point (Half Wall - Right)	1
S-1310-R5	Transition Wall	1
S-1362-16132-R5	Push-Out Barrier (Bug Eye)	1
S-1362-16134-R5	Push-Out Barrier (Labyrinth)	1
S-1600-R5G	Crawl Thru Panel	1
S-1618-Bug-R5G	Seek Panel (Bug)	1
S-1702-4R5	Slide, Wave 48in (Double)	1
S-1709-6L-LL	Slide, Portal 72in (L-L, Left)	2
S-18030-6	Shade Canopy, 6-Post Orbital	1
S-1926-MR5	Center Access Hex Net Deck (72in)	1
S-1933-R5	Spin Cyclor	1
S-1962-R5	Playseat	1