

R503CABBA

TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
8	7/4	0/0	4/3	3/3
CHILD CAPACITY 76		MAX FALL HEIGHT 96		


R5

FOR KIDS
AGES
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R503CABBA
PROJECT # R503CABBA
DATE 8/30/2023

Playcraft Direct, Inc.

MIN. USE ZONE 43' x 40' (12.917m x 12.097m)



R503CABBA SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
8	7/4	0/0	4/3	3/3




FOR KIDS
AGES
5-12

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # R503CABBA
DATE 8/30/2023

Playcraft Direct, Inc.

MIN. USE ZONE 43' x 40' (12.917m x 12.097m)



R503CABBA
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R503CABBA
PROJECT # R503CABBA
DATE 8/30/2023

R503CABBA
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R503CABBA
PROJECT # R503CABBA
DATE 8/30/2023

R503CABBA

Project # R503CABBA

Date 8/30/2023

Item / Part Number	Description	Qty
[R503CABBA]		
HS-1004-R	Collars	55
GF-7002	Dome Cap, R5	8
S-1011-R5-11ft	Post, 11ft R5	1
S-1012-R5-12ft	Post, 12ft R5	5
S-1013-R5-13ft	Post, 13ft R5	6
S-1016-R5-16ft	Post, 16ft R5	4
S-1101-R5	Square Deck	4
S-1206-24R45	ADA Stairs, 24in Rise w/ Walls	1
S-1209-24-R5	Transfer Station, 36in-L	1
S-1224-3R	Climber, Stacked Loop 30-36in	1
S-1233-3-MC	Climber, Disc 30-36in	1
S-1233-6-MC	Climber, Disc 66-72in	1
S-12801-L-R5	Climber, Sunrise 54-60in (Left)	1
S-1281-L-6R5	Climber, Arch Twist 72in (Left)	1
S-1303-R5	Single Slide SitDown Hood	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	1
S-1314-1948-B-R5R	Access Wall w/ Handle (Right)	1
S-1314-R5L	Access Wall (Left)	3
S-1405-L-R5	Traverse, Horizontal Ladder (S-Shaped, Left)	1
S-1426-270-R5	Traverse, Loop (Round, 270 Degree)	1
S-1514-45R5	Bridge, Inclined Arch (45in)	1
S-1704-5	Slide, Wave 60in (Single)	1
S-1710-6-SLL	Slide, Twister 72in (S-L2)	1
S-1808-R5STL	Metal Roof, Gable	2
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1910-R5	Talk Tube (Post Mounted, Right)	2
S-1937-R5	Crunch Handle	1