

R5053C15A
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 6 | 6/3 | 0 | 0/2 | 0/2 |


R5

FOR KIDS
 AGES
 5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R5053C15A

PROJECT#: R5053C15A

DATE: 1/4/2021 | DRAWN BY:

MIN. USE ZONE: 33' x 38'

PLAYCRAFT REP:

Playcraft Direct, Inc.


R5053C15A SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 6 | 6/3 | 0 | 0/2 | 0/2 |



FOR KIDS
AGES
5-12



GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PROJECT#: R5053C15A

DATE: 1/4/2021 | DRAWN BY:

MIN. USE ZONE: 33' x 38'

PLAYCRAFT REP:

Playcraft Direct, Inc.

R5053C15A
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R5053C15A
PROJECT#: R5053C15A
DATE: 1/4/2021 | DRAWN BY:

R5053C15A
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R5053C15A
PROJECT#: R5053C15A
DATE: 1/4/2021 | DRAWN BY:



Bill of Materials

R5053C15A

Project# R5053C15A

1/4/2021

| Item | Description | Quantity |
|------------------|--|----------|
| R5053C15A | | |
| HS-1004-R | Collars | 29 |
| GF-7002 | Dome Cap, R5 | 3 |
| S-1011-R5-11ft | Post, 11ft R5 | 1 |
| S-1012-R5-12ft | Post, 12ft R5 | 2 |
| S-1016-R5-16ft | Post, 16ft R5 | 6 |
| S-1102-R5 | Tri-Deck | 1 |
| S-1106-R5 | Hex Deck, Half (4 Post) | 2 |
| S-1206-24R5 | ADA Stairs, 24in Rise w/ Walls (Short) | 1 |
| S-1209-36-R5 | Transfer Station, 48in-L | 1 |
| S-1220-4 | Climber, Centipede 42-48in | 1 |
| S-1224-6R | Climber, Stacked Loop 66-72in | 1 |
| S-1237-6R5 | Climber, Vertical Rock 66-72in | 1 |
| S-1290-D2-D3-R5F | Climber, Boulder Stack 72in (w/Filler) | 1 |
| S-1305-R5 | Double Slide SitDown Wall | 1 |
| S-1309-2-R5 | Half Walls (Pair) R5 | 1 |
| S-1316-R5 | Twister Entry Panel | 1 |
| S-1702-6R5 | Slide, Double 66 - 72in (Dual Express) | 1 |
| S-1710-6-SLL | Slide, Twister 72in (S-L2) | 1 |
| S-1803-R5 | Roof, Hex | 1 |
| HS-1100-3 | Deck to Deck Hardware | 2 |