

# R5062790A

## TOP VIEW

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0/0	3/3	2/3
CHILD CAPACITY 96		MAX FALL HEIGHT 96		


**R5**

FOR KIDS  
AGES  
5-12

#### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R5062790A  
PROJECT # R5062790A  
DATE 10/30/2023

**Playcraft Direct, Inc.**

MIN. USE ZONE 49' x 44' (14.857m x 13.366m)



**R5062790A**  
**SITE PLAN**

**ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE**

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0/0	3/3	2/3




FOR KIDS  
AGES  
5-12

**GENERAL NOTES**

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # R5062790A  
DATE 10/30/2023

**Playcraft Direct, Inc.**

MIN. USE ZONE 49' x 44' (14.857m x 13.366m)



R5062790A  
SW VIEW

R5

FOR KIDS  
AGES  
5-12



STRUCTURE # R5062790A  
PROJECT # R5062790A  
DATE 10/30/2023

R5062790A  
NE VIEW

R5

FOR KIDS  
AGES  
5-12



STRUCTURE # R5062790A  
PROJECT # R5062790A  
DATE 10/30/2023

**R5062790A**

**Project # R5062790A**

**Date 10/30/2023**

<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
<b>[R5062790A]</b>		
HS-1004-R	Collars	70
GF-7002	Dome Cap, R5	14
S-1011-R5-11ft	Post, 11ft R5	2
S-1012-R5-12ft	Post, 12ft R5	1
S-1013-R5-13ft	Post, 13ft R5	2
S-1014-R5-14ft	Post, 14ft R5	1
S-1015-R5-15ft	Post, 15ft R5	2
S-1019-R5-19ft	Post, 19ft R5	3
S-1023-R5-23ft	Post, 23ft R5	3
S-1101-R5	Square Deck	2
S-11021-R	Spiral Deck, (Right, 24in)	2
S-1102-R5	Tri-Deck	2
S-1103-R5	Hex Deck, Half (5 Post)	1
S-1106-R5	Hex Deck, Half (4 Post)	1
S-1209-36-R5	Transfer Station, 48in-R	1
S-1215-6	Climber, Grip Inc. Wall 72in	1
S-1233-6-HW	Climber, Disc 66-72in (w/ HW)	1
S-1234-8R	Climber, Spiral Step 90-96in	1
S-1301-1830-S-R5	Wall w/ Telescope	1
S-1305-R5	Double Slide SitDown Wall	1
S-1309-2-R5	Half Walls (Pair) R5	2
S-1310-R5	Transition Wall	2
S-1500-180-R5I	Crawl Tube, 180 Degree (Post Mounted)	1
S-1616-R5	Tic-Tac-Toe Panel	1
S-1632-R5	Bug Eye Panel	1
S-1645-R5G	Store Panel (Open)	1
S-1668-R5	Panel Pal, Match Game	1
S-1702-4R5	Slide, Wave 48in (Double)	1
S-1709-8S-RSSL	Slide, Portal 96in (R-S-S-L, Right)	1
S-1710-3-8R5-R7S8	Slide, Triple Twister 96in (R7-S8)	1
S-18013-R5	Metal Roof, Tri-Shade	3