

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 19 | 12/10 | 0/0 | 16/6 | 4/3 |
| CHILD CAPACITY | 161 | MAX FALL HEIGHT | 120 | |


R5

FOR KIDS
AGES
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



R509224FA
TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 19 | 12/10 | 0/0 | 16/6 | 4/3 |
| CHILD CAPACITY | 161 | MAX FALL HEIGHT | 120 | |


R5

FOR KIDS
AGES
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R509224FA
PROJECT # R509224FA
DATE 8/13/2024

Playcraft Direct, Inc.
MIN. USE ZONE 63' x 50' (19.011m x 15.099m)



R509224FA
TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 19 | 12/10 | 0/0 | 16/6 | 4/3 |
| CHILD CAPACITY | 161 | MAX FALL HEIGHT | 120 | |


R5

FOR KIDS
AGES
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R509224FA
PROJECT # R509224FA
DATE 8/13/2024

Playcraft Direct, Inc.
MIN. USE ZONE 63' x 50' (19.011m x 15.099m)



R509224FA
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 19 | 12/10 | 0/0 | 16/6 | 4/3 |

R5


FOR KIDS
AGES
5-12

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



R509224FA
SW VIEW

R5

FOR KIDS
AGES
5-12




STRUCTURE # R509224FA
PROJECT # R509224FA
DATE 8/13/2024

R509224FA
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R509224FA
PROJECT # R509224FA
DATE 8/13/2024

R509224FA
Project # R509224FA
Date 8/13/2024

| Item / Part Number | Description | Qty |
|--------------------|---|-----|
| [R509224FA] | | |
| HS-1004-R | Collars | 179 |
| GF-7002 | Dome Cap, R5 | 16 |
| S-1012-R5-12ft | Post, 12ft R5 | 4 |
| S-1013-R5-13ft | Post, 13ft R5 | 4 |
| S-1015-R5-15ft | Post, 15ft R5 | 6 |
| S-1017-R5-17ft | Post, 17ft R5 | 2 |
| S-1020-R5-20ft | Post, 20ft R5 | 8 |
| S-11011-13011-R5 | Half Square Deck w Walls R5 | 1 |
| S-1101-R5 | Square Deck | 3 |
| S-1103-R5 | Hex Deck, Half (5 Post) | 3 |
| S-1109-LRG-R5-SPN | Spinner Deck | 1 |
| S-1109-R5-MT | Balcony Deck w/ Wheel | 1 |
| S-1206-36R5 | ADA Stairs, 36in Rise w/ Walls | 2 |
| S-1209-48-R5 | Transfer Station, 60in-C (W) | 1 |
| S-1210-60 | Climber, Vertical Ladder 54-60in | 1 |
| S-1213-5R | Climber, Firepole 54-60in | 1 |
| S-1224-8R | Climber, Stacked Loop 90-96in | 1 |
| S-1232-5 | Climber, Track 54-60in | 1 |
| S-12891-5-HEX | Center Access Hex Deck (60in) | 1 |
| S-12891-DD5R5 | Center Access Deck (DTD, 60in) | 1 |
| S-1301-12R5 | Wall, Steel (12in) | 6 |
| S-1301-1830-S-R5 | Wall w/ Telescope | 1 |
| S-1301-3475R5 | Steel Wall (Above Wall, Single Bar) | 1 |
| S-1301-36875R5 | Steel Wall (Above Panel) | 3 |
| S-1301-52R5 | Wall, Steel (52in, Behind Ladder) | 1 |
| S-1301-60R5 | Wall, Steel 55in (60in gap) | 1 |
| S-1301-RSP1675 | Push-Out Barrier (Above Wall, Single Bar) | 2 |
| S-1302-R5 | Steel Wall (Mesh) | 2 |
| S-1303-TW-R5 | Twister Entry Panel w/ Hood | 1 |
| S-1309-2-R5 | Half Walls (Pair) R5 | 2 |
| S-1310-R5 | Transition Wall | 1 |
| S-1312-R5 | Steel Wall (w/ HDPE Seat) | 1 |
| S-1325-R5 | Steel Wall (Above Telescope, Single Bar) | 1 |
| S-1330-R5SB | Steel Wall (Above Balcony) | 1 |
| S-1343-R560 | Fun House Escaped Cage Wall | 1 |
| S-1362-16132-R5 | Push-Out Barrier (Bug Eye) | 1 |

| Item / Part Number | Description | Qty |
|---------------------------|---|------------|
| S-1362-16134-R5 | Push-Out Barrier (Labyrinth) | 1 |
| S-1500-2STL-90R5G | Crawl Tube, Steel (Double)(G) | 1 |
| S-1500-2STL-UT-90R5 | Crawl Tube, Steel 60in (Double, Upper Tube) | 1 |
| S-1602-R5G | Bubble Panel | 1 |
| S-1603-R5 | Bubble Mirror Panel | 1 |
| S-1615-R5 | Store Panel | 1 |
| S-1630-R5 | Hourglass Panel | 1 |
| S-1639-R5 | Clubhouse | 1 |
| S-16502 | Circus Clown Window Panel | 1 |
| S-16503 | Fun House Door Panel (Turn Back) | 1 |
| S-16504 | Fun House Ghost Panel | 1 |
| S-16505 | Fun House Door Panel | 1 |
| S-16520-R5G | Composer Panel | 1 |
| S-1685-R5G | Mosaic Panel | 1 |
| S-1706-S8L-R5 | Slide, Twister Spiral 96in (L) | 1 |
| S-1706-S8R-R5 | Slide, Twister Spiral 96in (R) | 1 |
| S-1707-10SR5 | Slide, Tube 120in (S-Shaped, Right) | 1 |
| S-1709-10L-LSSS | Slide, Portal 120in (L-S-S-S, Left) | 1 |
| S-1710-8-SLLLL | Slide, Twister 96in (S-L-L-L-L) | 1 |
| S-1806-R5 | Roof, Extended Hex | 1 |
| S-1910-R5 | Talk Tube (Post Mounted, Right) | 2 |
| S-1936-R5 | Ring Pull-Up | 1 |
| S-1937-R5 | Crunch Handle | 1 |