

R5099C79A

TOP VIEW

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
6	6/3	0/0	7/2	3/2
CHILD CAPACITY	62	MAX FALL HEIGHT	48	


R5

FOR KIDS  
AGES  
2-5

## GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R5099C79A  
PROJECT # R5099C79A  
DATE 8/25/2023

Playcraft Direct, Inc.

MIN. USE ZONE 34' x 32' (10.266m x 9.615m)

R5099C79A  
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
6	6/3	0/0	7/2	3/2

R5


FOR KIDS  
AGES  
2-5

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**R5099C79A**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R5099C79A  
**PROJECT #** R5099C79A  
**DATE** 8/25/2023

**R5099C79A**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R5099C79A  
**PROJECT #** R5099C79A  
**DATE** 8/25/2023

## R5099C79A

**Project #** R5099C79A

**Date** 8/25/2023

Item / Part Number	Description	Qty
<b>[R5099C79A]</b>		
HS-1004-R	Collars	48
GF-7002	Dome Cap, R5	4
S-1009-R5-09ft	Post, 09ft R5	1
S-1011-R5-11ft	Post, 11ft R5	3
S-1013-R5-13ft	Post, 13ft R5	6
S-1102-R5	Tri-Deck	4
S-1103-R5	Hex Deck, Half (5 Post)	1
S-1209-12-R5	Transfer Station, 24in-L	1
S-1210-24	Climber, Vertical Ladder 18-24in	1
S-1224-4R	Climber, Stacked Loop 42-48in	1
S-1303-R5	Single Slide SitDown Hood	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1313-R5	Handle	1
S-1414-C	Clover Seat	2
S-1437-R5	Traverse, Jungle Tri-Step	1
S-1614-R5	Slider Panel	1
S-1616-R5	Tic-Tac-Toe Panel	1
S-1617-R5	Window Panel	1
S-1644-R5	Gear Panel	1
S-1701-3	Slide, Single 36in (Straight)	1
S-1710-4-R	Slide, Twister 48in (R)	1
S-1803-R5	Roof, Hex	1
S-1932-R5	Hand Spin Cyclor (Post Mounted)	1
S-1961-RV	Tri Pad Seat	1
S-1962-R5	Playseat	1
S-1963-R5	Seat on Post	2
S-1980-R5	Counter Connection MT-2	1