

R50C8189A
TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
8	4/4	0/0	3/3	3/3
CHILD CAPACITY	62	MAX FALL HEIGHT	96	


R5

FOR KIDS
AGES
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R50C8189A
PROJECT # R50C8189A
DATE 4/11/2023

Playcraft Direct, Inc.
MIN. USE ZONE 38' x 34'



R50C8189A SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
8	4/4	0/0	3/3	3/3

**Mixed
Types**


**FOR KIDS
AGES
5-12**

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # R50C8189A
DATE 4/11/2023

Playcraft Direct, Inc.

MIN. USE ZONE 38' x 34'



R50C8189A
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R50C8189A
PROJECT # R50C8189A
DATE 4/11/2023



R50C8189A
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R50C8189A
PROJECT # R50C8189A
DATE 4/11/2023



R50C8189A

Project # R50C8189A

Date 4/11/2023

Item / Part Number	Description	Qty
[R50C8189A]		
HS-1004-R	Collars	45
GF-7002	Dome Cap, R5	4
S-1010-R5-10ft	Post, 10ft R5	3
S-1011-R5-11ft	Post, 11ft R5	1
S-1012-R5-12ft	Post, 12ft R5	3
S-1013-R5-13ft	Post, 13ft R5	3
S-1102-R5	Tri-Deck	3
S-1103-R5	Hex Deck, Half (5 Post)	1
S-12091-3	Climber, Inc. Belt 36in (Dual Access)	1
S-1209-24-R5	Transfer Station, 36in-C	1
S-1211-18R5	Filler, Step 18in	1
S-1233-3-HW	Climber, Disc 30-36in (w/ HW)	1
S-1298-5R5	Climber, Cord 60in	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	1
S-1309-2-R5	Half Walls (Pair) R5	3
S-1310-R5	Transition Wall	1
S-1412-L-R5	Traverse, Loop (Super-S, Left)	1
S-1535-3DTG-R5	Climber, Crawl-Netix 36in (DTG, 36)	1
S-1645-R5G	Store Panel (Open)	1
S-1685-R5	Mosaic Panel	1
S-1702-1122-3	Slide, Double 36in (w/ Extn)	1
S-1710-5-RR	Slide, Twister 60in (R2)	1
S-18030-S-3	Metal Roof, Orbital Shade (3-Post)	2
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1937-R5	Crunch Handle	1