

# R50CFD2BA

## TOP VIEW

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
5	5/3	0/0	6/2	1/2
CHILD CAPACITY	40	MAX FALL HEIGHT	48	


R5

FOR KIDS  
AGES  
2-5

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R50CFD2BA  
PROJECT # R50CFD2BA  
DATE 6/19/2023

Playcraft Direct, Inc.

MIN. USE ZONE 31' x 28' (9.275m x 8.472m)

R50CFD2BA  
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
5	5/3	0/0	6/2	1/2

R5


FOR KIDS  
AGES  
2-5

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**R50CFD2BA**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R50CFD2BA  
**PROJECT #** R50CFD2BA  
**DATE** 6/19/2023

**R50CFD2BA**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R50CFD2BA  
**PROJECT #** R50CFD2BA  
**DATE** 6/19/2023

**R50CFD2BA**
**Project #** R50CFD2BA

**Date** 6/19/2023

Item / Part Number	Description	Qty
<b>[R50CFD2BA]</b>		
HS-1004-R	Collars	27
GF-7002	Dome Cap, R5	5
S-1010-R5-10ft	Post, 10ft R5	5
S-1015-R5-15ft	Post, 15ft R5	4
S-1101-R5	Square Deck	2
S-1209-24-R5	Transfer Station, 36in-L	1
S-1234-3R	Climber, Spiral Step 30-36in	1
S-1303-R5	Single Slide SitDown Hood	1
S-1310-R5	Transition Wall	1
S-1414-C	Clover Seat	4
S-1500-90-R5	Crawl Tube, (90 Degree, 1 Section)	2
S-1619-R5	ABC Panel	1
S-1705-3	Slide, Quarter Turn 36in	1
S-18021-R5QD14	Shade Canopy, 14ft Quad Square	1
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1851-R5C	Butterfly Wings Accent	1
S-1851-R5O	Butterfly Wings	1
S-1980-R5	Counter Connection MT-1	1