

# R50F237EA

## TOP VIEW

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0/0	3/3	3/3
CHILD CAPACITY	102	MAX FALL HEIGHT	72	


R5

FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R50F237EA  
PROJECT # R50F237EA  
DATE 8/4/2023

Playcraft Direct, Inc.

MIN. USE ZONE 44' x 32' (13.241m x 9.51m)



# R50F237EA SITE PLAN

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0/0	3/3	3/3

R5


FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT #  
DATE

R50F237EA  
8/4/2023

**Playcraft Direct, Inc.**

MIN. USE ZONE 44' x 32' (13.241m x 9.51m)



**R50F237EA**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R50F237EA  
**PROJECT #** R50F237EA  
**DATE** 8/4/2023

**R50F237EA**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R50F237EA  
**PROJECT #** R50F237EA  
**DATE** 8/4/2023

**R50F237EA**
**Project #** R50F237EA

**Date** 8/4/2023

Item / Part Number	Description	Qty
<b>[R50F237EA]</b>		
HS-1004-R	Collars	64
GF-7002	Dome Cap, R5	13
S-1008-R5-08ft	Post, 08ft R5	1
S-1009-R5-09ft	Post, 09ft R5	5
S-1011-R5-11ft	Post, 11ft R5	8
S-1012-R5-12ft	Post, 12ft R5	7
S-1101-R5	Square Deck	5
S-11021-L	Spiral Deck, (Left, 24in)	1
S-1202-R5	Step Deck, 12in	1
S-1206-12R5	ADA Stairs, 12in Rise w/ Walls	1
S-1206-24R45	ADA Stairs, 24in Rise w/ Walls	1
S-1230-3R	Climber, Clover 30-36in	1
S-1233-3-MC	Climber, Disc 30-36in	1
S-1233-4-HW	Climber, Disc 42-48in (w/ HW)	1
S-1233-4-MC	Climber, Disc 42-48in	1
S-1233-5-HW	Climber, Disc 54-60in (w/ HW)	1
S-1282-5	Climber, Curved Rung Ladder 54-60in	1
S-1301-1830-S-R5	Wall w/ Telescope	1
S-1304-R5	Single Slide SitDown Wall	1
S-1305-R5	Double Slide SitDown Wall	1
S-1309-2-R5	Half Walls (Pair) R5	4
S-1309-R5	Transfer Point (Half Wall - Right)	1
S-1310-R5	Transition Wall	1
S-1406-90R5	Traverse, Horizontal Ladder (7-Rung)	1
S-1414	Lily Pad Step 12-18in	2
S-1414-6	Lily Pad Step 06in	6
S-1502-90	Bridge, Arch (90in)	1
S-1615-R5	Store Panel	1
S-1625-R5	Driver Panel	1
S-1684-R5G	Sign Language Panel	1
S-1702-5R5	Slide, Double 60in	1
S-1704-4	Slide, Wave 48in (Single)	1
S-18030-4R5	Shade Canopy, 4-Post Orbital	2
S-1962-R5	Playseat	1