

GSR229BEA  
TOP VIEW - 0

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 12             | 12/6       | 0/0             | 5/4    | 3/3   |
| CHILD CAPACITY | 103        | MAX FALL HEIGHT | 72     |       |


R35

FOR KIDS  
AGES  
2-5

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # GSR229BEA  
PROJECT # GSR229BEA  
DATE 7/15/2026

Playcraft Direct, Inc.  
MIN. USE ZONE 49' x 35' (14.774m x 10.431m)



GSR229BEA  
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 13       | 12/7       | 0/0             | 5/4    | 4/3   |

R35


FOR KIDS  
AGES  
2-5

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**GSR229BEA**  
**SW VIEW**

**R35**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** GSR229BEA  
**PROJECT #** GSR229BEA  
**DATE** 7/15/2026

**GSR229BEA**  
**NE VIEW**

**R35**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** GSR229BEA  
**PROJECT #** GSR229BEA  
**DATE** 7/15/2026

## GSR229BEA

**Project #** GSR229BEA

**Date** 7/15/2026

| Item / Part Number | Description                             | Qty |
|--------------------|-----------------------------------------|-----|
| <b>[GSR229BEA]</b> |                                         |     |
| HS-1004-R35        | Collars                                 | 54  |
| GG-8135            | Dome Cap, R3.5                          | 8   |
| S-1011-R35-11ft    | Post, 11ft R3.5                         | 5   |
| S-1012-R35-12ft    | Post, 12ft R3.5                         | 1   |
| S-1013-R35-13ft    | Post, 13ft R3.5                         | 2   |
| S-1014-R35-14ft    | Post, 14ft R3.5                         | 10  |
| S-1101-R35         | Square Deck                             | 6   |
| S-1107-R35         | Curved Deck                             | 1   |
| S-1206-24R35       | ADA Stairs, 24in Rise w/ Walls          | 1   |
| S-1209-36W-R35     | Transfer Station, 48in-C (W)            | 1   |
| S-1220-4           | Climber, Centipede 42-48in              | 1   |
| S-1223-4R35        | Climber, Spiral 42-48in                 | 1   |
| S-1234-4R35        | Climber, Spiral Step 42-48in            | 1   |
| S-1237-4R35        | Climber, Vertical Rock 42-48in          | 1   |
| S-1245-4R35        | Climber, Terrace Chain 42-48in (Curved) | 1   |
| S-1304-R35         | Single Slide SitDown Wall               | 1   |
| S-1309-2-R35       | Half Walls (Pair) R35                   | 1   |
| S-1316-R35         | Twister Entry Panel                     | 1   |
| S-1509-84R35       | Bridge, Burma (84in)                    | 1   |
| S-1602-R35         | Bubble Panel                            | 1   |
| S-1618-R35         | Seek Panel (Standard)                   | 1   |
| S-16431-R35G       | Parachute Panel                         | 1   |
| S-1643-R35         | Pilot Panel                             | 1   |
| S-16522-R35G       | Duo Panel                               | 1   |
| S-1655-4R35        | Reach Panel, 48in                       | 1   |
| S-1685-R35         | Mosaic Panel                            | 1   |
| S-1704-4           | Slide, Wave 48in (Single)               | 1   |
| S-1706-S6R-R35     | Slide, Twister Spiral 72 (R)            | 1   |
| S-1710-4-L         | Slide, Twister 48in (L)                 | 1   |
| S-1806-R35-6P      | Roof, Extended Hex (6-Post)             | 1   |
| S-1807-R35         | Roof, Square Pyramid (Shingled)         | 1   |
| S-1812-R35         | Driver Wheel (Post Mounted)             | 1   |
| S-1962-R35         | Playseat (Double Post)                  | 1   |