

NF5D6144A

TOP VIEW

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
7	5/4	0/0	4/2	3/2
CHILD CAPACITY	71	MAX FALL HEIGHT	72	


R5

FOR KIDS  
AGES  
5-12

## GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # NF5D6144A  
PROJECT # NF5D6144A  
DATE 8/14/2024

Playcraft Direct, Inc.

MIN. USE ZONE 48' x 33' (14.339m x 9.983m)

# NF5D6144A SITE PLAN

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
7	5/4	0/0	4/2	3/2

R5


FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # NF5D6144A  
DATE 8/14/2024


**Playcraft Direct, Inc.**  
MIN. USE ZONE 47' x 33' (14.326m x 10.008m)



**NF5D6144A**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
5-12




**STRUCTURE #** NF5D6144A  
**PROJECT #** NF5D6144A  
**DATE** 8/14/2024

**NF5D6144A**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** NF5D6144A  
**PROJECT #** NF5D6144A  
**DATE** 8/14/2024

**NF5D6144A**
**Project #** NF5D6144A

**Date** 8/14/2024

Item / Part Number	Description	Qty
<b>[NF5D6144A]</b>		
HS-1004-R	Collars	46
HS-1004-R35	Collars R35	6
GF-7002	Dome Cap, R5	11
S-1010-R5-10ft	Post, 10ft R5	1
S-1011-R5-11ft	Post, 11ft R5	1
S-1012-R5-12ft	Post, 12ft R5	7
S-1020-R5-20ft	Post, 20ft R5	2
S-1102-R5	Tri-Deck	5
S-1109-R5-T	Balcony Deck w/ Telescope	1
S-1209-36-R5	Transfer Station, 48in-R	1
S-1235-5R	Climber, Ladder 54-60in	1
S-1237-3R5	Climber, Vertical Rock 30-36in	1
S-12462	Climber, Narrow Net 54-60in	1
S-1249-DDV5R5	Geo-Wave Link 24in (Vert., Incl. DTD, 60-36)	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1310-R5	Transition Wall	1
S-1502-90	Bridge, Arch (90in)	1
S-1535-DTG-LL36	Climber, Crawl-Netix 36in (L-Shaped, DTG, L)	1
S-1689-DUT-R5	Bank Drive-Up Teller Panel	1
S-1689-VLT-R5G	Bank Vault Crawl - Thru Panel	1
S-1702-1122-5	Slide, Double 60in (w/ Extn)	1
S-18029-R5	Shade Sail, Single Post 10ft	2
S-5101-H	Half Frame	1
S-5304-AMZ	Alphabet Maze Extension	1
S-5701-L	Wave Slide Frame (48,L)	1