

R5088E97A

TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
6	6/3	0/0	27/2	3/2
CHILD CAPACITY		166	MAX FALL HEIGHT	84


R5

FOR KIDS
AGES
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R5088E97A
PROJECT # R5088E97A
DATE 10/10/2025

Playcraft Direct, Inc.

MIN. USE ZONE 36' x 46' (10.76m x 13.718m)

R5088E97A
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
15	3/8	0/0	12/5	7/3

R5


FOR KIDS
AGES
5-12

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



6 FT
MINIMUM
USE
ZONE

PROJECT # R5088E97A
DATE 10/10/2025

Playcraft Direct, Inc.
MIN. USE ZONE 36' x 46' (10.757m x 13.717m)



R5088E97A
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R5088E97A
PROJECT # R5088E97A
DATE 10/10/2025

R5088E97A
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE # R5088E97A
PROJECT # R5088E97A
DATE 10/10/2025

R5088E97A
Project # R5088E97A

Date 10/10/2025

Item / Part Number	Description	Qty
[R5088E97A]		
HS-1004-R	Collars	153
GF-7002	Dome Cap, R5	26
S-1010-R5-10ft	Post, 10ft R5	4
S-1011-R5-11ft	Post, 11ft R5	1
S-1012-R5-12ft	Post, 12ft R5	6
S-1013-R5-13ft	Post, 13ft R5	9
S-1017-R5-17ft	Post, 17ft R5	7
S-1018-R5-18ft	Post, 18ft R5	1
S-1019-R5-19ft	Post, 19ft R5	2
S-1022-R5-22ft	Post, 22ft R5	1
S-1023-R5-23ft	Post, 23ft R5	2
S-1101-R5	Square Deck	3
S-1106-R5	Hex Deck, Half (4 Post)	2
S-1107-R5	Curved Deck	1
S-1209-36W-R5	Transfer Station, 48in-L (W)	1
S-1224-6R	Climber, Stacked Loop 66-72in	1
S-1234-DSC-5R5	Climber, Spiral Step 60in	4
S-1257-R5	Climber, Access	1
S-1293-R5	Net Tower Ladder	6
S-1301-1830-S-R5	Wall w/ Telescope	1
S-1301-42R5	Wall, Steel (42in)	5
S-1328-RMT	Steel Wall (Curved w/ Wheel)	1
S-1421-R120	Traverse, Wheel (120in)	1
S-1440-R5	Traverse, Sway-Step Grip	1
S-1500-90-R5	Crawl Tube, (90 Degree, 1 Section)	1
S-1511-R5	Bridge, Curved	7
S-1600-R5GC	Crawl Thru Panel	3
S-1602-R5	Bubble Panel	2
S-1615-STL-GM-R5	Store Panel (Steel)	1
S-1619-R5	ABC Panel	1
S-1621-R17G	House Panel	1
S-1645-R5G	Store Panel (Open)	1
S-1654-R5	Door Panel	1
S-1685-R5	Mosaic Panel	1
S-18014-R5	Metal Roof, Slanted Shade	2
S-18024-R51P	Metal Roof, Large Umbrella	1

Item / Part Number	Description	Qty
S-18026-18-R5-FR	Shade Canopy, Hex 18ft (Fire Resistant)	1
S-1948-R5	Surf Rider	1
S-1962-R5	Playseat	1
S-1963-R5	Seat on Post	4