

# R509C701A

## TOP VIEW - 0

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	8/5	0/0	3/3	3/3
CHILD CAPACITY	68	MAX FALL HEIGHT	96	


R5

FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R509C701A  
PROJECT # R509C701A  
DATE 1/15/2026

**Playcraft Direct, Inc.**

MIN. USE ZONE 36' x 32' (10.683m x 9.479m)

# R509C701A SITE PLAN

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	8/5	0/0	3/3	3/3


**R5****FOR KIDS  
AGES  
5-12**

### GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

**PROJECT #**  
**DATE**R509C701A  
1/15/2026**Playcraft Direct, Inc.****MIN. USE ZONE** 36' x 32' (10.681m x 9.478m)

**R509C701A**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R509C701A  
**PROJECT #** R509C701A  
**DATE** 1/15/2026

**R509C701A**  
**SE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R509C701A  
**PROJECT #** R509C701A  
**DATE** 1/15/2026

**R509C701A**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R509C701A  
**PROJECT #** R509C701A  
**DATE** 1/15/2026

**R509C701A**  
**NW VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R509C701A  
**PROJECT #** R509C701A  
**DATE** 1/15/2026

**R509C701A**

**Project #** R509C701A

**Date** 1/15/2026

Item / Part Number	Description	Qty
<b>[R509C701A]</b>		
HS-1004-R	Collars	63
GF-7002	Dome Cap, R5	7
S-1011-R5-11ft	Post, 11ft R5	5
S-1012-R5-12ft	Post, 12ft R5	3
S-1013-R5-13ft	Post, 13ft R5	3
S-1014-R5-14ft	Post, 14ft R5	2
S-11021-L	Spiral Deck, (Left, 24in)	1
S-1103-R5	Hex Deck, Half (5 Post)	2
S-1104-R5-90	Long Deck (90in)	1
S-1209-12-R5	Transfer Station, 24in-L	1
S-1211-24R5	Filler, Step 24in	1
S-1224-6R	Climber, Stacked Loop 66-72in	1
S-1298-6R5	Climber, Cord 72in	1
S-1301-24R5	Wall, Steel (24in)	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	1
S-1309-2-R5	Half Walls (Pair) R5	2
S-1310-R5	Transition Wall	1
S-1402-R5	End Access Ladder (2-Rung)	1
S-1409-R5	Traverse, Ring (S-Shaped, 6 Rung)	1
S-1414	Lily Pad Step 12-18in	2
S-1414-30	Lily Pad Step 24in	1
S-1608-R5	Memory Panel	1
S-1618-R5G	Seek Panel (Standard)	1
S-1632-R5	Bug Eye Panel	1
S-1634-R5G	Labyrinth Panel	1
S-1710-3-4R5-LSR	Slide, Triple Twister 48in (L-S-R)	1
S-1710-6-RRR	Slide, Twister 72in (R3)	1
S-18030-S-3	Metal Roof, Orbital Shade (3-Post)	2
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1937-R5	Crunch Handle	1