


IMPORTANT NOTES: Read First

(A) Use liquid thread lock (such as Loctite®) with all threaded hardware. **Important:** Liquid thread lock (prior to curing) helps to eliminate the common problem of "thread seizure" in stainless steel hardware by serving as a lubricant during assembly.

FIGURE 1
Small Bell & Hammer Panel



NOTE: Small Bell & Hammer to steel panel shown. Other configurations will vary slightly, but does not affect assembly.

Step 1 (Factory Assembled)

Attach Bell to Panel as shown in Figure 1.1.
(See Note A)




Figure 1.1




Figure 1.2

Step 2 (Factory Assembled)

Attach Hammer to Panel as shown in Figure 1.2.
(See Note A)




FIGURE 2

Step 3a

For Steel Event Panel Only

Attach Small Bell & Hammer Panel to
Steel Event Panel as shown in Figure 2.
(See Note A)

Step 3b

For HDPE Event Panel Only

Attach Small Bell & Hammer Panel to HDPE Event Panel as shown in Figure 3. (See Note A)

Step 4

Fully tighten all fasteners according to the "TIGHTENING TORQUE FOR HARDWARE" section of the Installation Manual.




FIGURE 3

Parts List

STEEL MOUNT		
Part #	DESCRIPTION	QTY
9103032-TR	Bolt Button Head 3/8" x 3/4"	6
9333002	Washer Flat 3/8" x 1" O.D. x .100" thick	6
9345002	Washer Flat SAE 1/2"	6
9443022-TR	Nut Barrel 3/8" x 5/8" BH	6

HDPE MOUNT		
Part #	DESCRIPTION	QTY
9103072-TR	Bolt Button Head 3/8" x 1-1/2"	6
9333002	Washer Flat 3/8" x 1" O.D. x .100" thick	6
9345002	Washer Flat SAE 1/2"	6
9443022-TR	Nut Barrel 3/8" x 5/8" BH	6

Assembled Parts List

Part #	DESCRIPTION	QTY
EE-0683	Small Bell and Hammer Panel	1
EI-0061	Toddler Bell Hammer	2
GE-0005	Small Bell	1
9103052-TR	Bolt Button Head 3/8" x 1"	2
9143062-TR	Bolt Shoulder 3/8" x 1-3/8" BH	1
9333042	Washer Flat 3/8" x 7/8" O.D.	2
9345002	Washer Flat SAE 1/2"	4
9443022-TR	Nut Barrel 3/8" x 5/8" BH	2
9443062-TR	Nut Barrel 3/8" x 1-3/8" BH	1

Specifications

SMALL BELL AND HAMMER PANEL & HAMMER:

Shall be made from high density 3/4" sheet plastic specially formulated for optimum UV stability and color retention.

SMALL BELL:

Shall be precision die-cast from a high strength aluminum alloy and will have a multi-stage baked-on powder coat finish.

HARDWARE:

Shall be stainless steel, zinc/nickel plated or galvanized as required to resist rust and corrosion.

Maintenance

Periodically tighten all screws, bolts and nuts. A periodic inspection of all parts is necessary. If a part is broken or worn, replace immediately. For general maintenance please refer to our Playground Maintenance Manual.