


IMPORTANT NOTES: Read First

(A) Use liquid thread lock (such as Loctite®) with all threaded hardware. **Important:** Liquid thread lock (prior to curing) helps to eliminate the common problem of "thread seizure" in stainless steel hardware by serving as a lubricant during assembly.

FIGURE 1
Alphabet Maze Panel



NOTE: Alphabet Maze Panel to steel panel shown. Other configurations will vary slightly, but does not affect assembly.

Step 1a

For Steel Event Panel Only

Attach Alphabet Maze Panel to Steel Event Panel as shown in Figure 1.1 (See Note A).




Figure 1.1




Figure 1.2

Step 1b

For HDPE Event Panel Only

Attach Alphabet Maze Panel to HDPE Event Panel as shown in Figure 1.2 (See Note A).




Figure 1.3

Step 1c

For Roto Event Panel Only

Attach Alphabet Maze Panel to Roto Event Panel as shown in Figure 1.3 (See Note A).

Step 2

Fully tighten all fasteners according to the "TIGHTENING TORQUE FOR HARDWARE" section of the Installation Manual.

ALPHABET MAZE PANEL INSTALLATION INSTRUCTIONS

1612
Page 3 of 3

Parts List

STEEL MOUNT		
Part #	DESCRIPTION	QTY
EE-0687	Alphabet Maze Panel Round	1
9103032-TR	Bolt Button Head 3/8" x 3/4"	12
9333002	Washer Flat 3/8" x 1" O.D. x .100" thick	12
9345002	Washer Flat SAE 1/2"	12
9443022-TR	Nut Barrel 3/8" x 5/8" BH	12

HDPE MOUNT		
Part #	DESCRIPTION	QTY
EE-0687	Alphabet Maze Panel Round	1
9103072-TR	Bolt Button Head 3/8" x 1-1/2"	12
9333002	Washer Flat 3/8" x 1" O.D. x .100" thick	12
9345002	Washer Flat SAE 1/2"	12
9443022-TR	Nut Barrel 3/8" x 5/8" BH	12

ROTO MOUNT		
Part #	DESCRIPTION	QTY
EE-0687	Alphabet Maze Panel Round	1
9103062-TR	Bolt Button Head 3/8" x 1-1/4"	12
9333002	Washer Flat 3/8" x 1" O.D. x .100" thick	12

Specifications

ALPHABET MAZE PANEL ROUND:

Shall be made from high density 3/4" sheet plastic specially formulated for optimum UV stability and color retention.

HARDWARE:

Shall be stainless steel, zinc/nickel plated or galvanized as required to resist rust and corrosion.

Maintenance

Periodically tighten all screws, bolts and nuts. A periodic inspection of all parts is necessary. If a part is broken or worn, replace immediately. For general maintenance please refer to our Playground Maintenance Manual.



www.playcraftsystems.com
For Customer Service Call
800.333.8519 (U.S.A.) or 541.955.9199 (International)

Rev A
6/21/2021