


## IMPORTANT NOTES: Read First

(A) Use liquid thread lock (such as Loctite®) with all threaded hardware. **Important:** Liquid thread lock (prior to curing) helps to eliminate the common problem of "thread seizure" in stainless steel hardware by serving as a lubricant during assembly.

(B) Refer to Installation Manual for R3.5-1600 instructions.

**FIGURE 1**  
Counter Assembly



## Step 1


Attach the HDPE Panel Counter to the Panel as shown in Figure 1.1. (See Note A)

## Step 2

Assemble Panel to posts as detailed in R35-1600 (See Note B).

## Step 3

Fully tighten all fasteners according to the "TIGHTENING TORQUE FOR HARDWARE" section of the Installation Manual.



**FIGURE 1.1**

# COUNTER ASSEMBLY INSTALLATION INSTRUCTIONS

**R35-1615**  
Page 3 of 3

## Parts List

GROUND MOUNT		
Part #	DESCRIPTION	QTY
BE-4285	Store Panel Counter Bracket	3
EE-0006	HDPE Panel Counter 25	1
EG-8145	Store Panel R3.5	1
GG-8113	Mounting Lug R3.5	4
HS-1001-R35	Socket Clamp Set R3.5	4
9103032-TR	Bolt Button Head 3/8" x 3/4"	6
9143062-TR	Bolt Shoulder 3/8" x 1-3/8" BH	4
9333042	Washer Flat 3/8" x 7/8" O.D.	6
9345002	Washer Flat SAE 1/2"	10
9443022-TR	Nut Barrel 3/8" x 5/8" BH	6

DECK MOUNT		
Part #	DESCRIPTION	QTY
BE-0361-L	R35 Panel Bracket - Left	1
BE-0361-R	R35 Panel Bracket - Right	1
BE-4285	Store Panel Counter Bracket	3
EE-0006	HDPE Panel Counter 25	1
EG-8145	Store Panel R3.5	1
GG-8113	Mounting Lug R3.5	2
HS-1001-R35	Socket Clamp Set R3.5	2
9103032-TR	Bolt Button Head 3/8" x 3/4"	6
9103052-TR	Bolt Button Head 3/8" x 1"	4
9103062-TR	Bolt Button Head 3/8" x 1-1/4"	2
9143062-TR	Bolt Shoulder 3/8" x 1-3/8" BH	2
9333002	Washer Flat 3/8" x 1" O.D. x .100" thick	8
9333042	Washer Flat 3/8" x 7/8" O.D.	6
9345002	Washer Flat SAE 1/2"	12
9413002	Nut Lock 3/8"	2
9443022-TR	Nut Barrel 3/8" x 5/8" BH	10

## Specifications

### PANEL & HDPE PANEL COUNTER:

Shall be made from high density 3/4" thick hot extruded polyethylene sheet plastic specially formulated for optimum UV stability and color retention.

### STORE PANEL COUNTER BRACKET:

Shall be precision laser cut and formed from 3/16" sheet steel. The Store Panel Counter Bracket has a multi-stage baked-on powder coat finish.

### HARDWARE:

Shall be stainless steel, zinc/nickel plated or galvanized as required to resist rust and corrosion.

## Maintenance

Periodically tighten all screws, bolts and nuts. A periodic inspection of all parts is necessary. If a part is broken or worn, replace immediately. For general maintenance please refer to our Playground Maintenance Manual.



www.playcraftsystems.com  
For Customer Service Call  
800.333.8519 (U.S.A.) or 541.955.9199 (International)

**Rev B**  
1/19/2023