

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
12	10/6	0	9/4	3/3


R5

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: NF526451A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 55' x 52'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	6/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: FREPC2181+AB
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 48' x 31'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	8/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: FREPC2181+AB/2
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 59' x 31'

PLAYCRAFT REP:
Service Supply Ltd., Inc.


OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

PC 2485-C
NEUTRON
CAROUSEL



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE#: FREPC2485C
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 25' x 25'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0


FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

INCLUSIVE MERRY-GO-ROUND



STRUCTURE#: FREPC2496
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 25' x 26'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0


FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

NE-802
REGULAR
ASTRO
NET



STRUCTURE#: FRENE802
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 26' x 26'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
10	10/5	0	6/3	3/3


R5

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R5031355A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 54' x 37'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	5/0	3/0




FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

Sensory
Play Wall
Playful



STRUCTURE#: R50717BDA
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 13' x 1'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	0/0	-3/0

GENERAL NOTES:


This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

YANZ-IG-STL
YANTZEE w/
STEEL POST



LPAD-G-IG-STL
LILYPAD
CYMBALS w/
STEEL POST



MUSH-MED-IG
MEDIUM
MUSHROOM
(IG)



TD-IG-N-RNBW
TUNED
DRUMS



STRUCTURE#: FREENOTES
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 19' x 3'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
11	11/6	0	4/4	3/3


R5

FOR KIDS
AGES
2-5

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R5048625A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 52' x 30'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 2479 MINI-GO-ROUND



STRUCTURE#: FREPC2479
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 16' x 16'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0


FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 1921
TYKE
SEESAW



STRUCTURE#: FREPC1921
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 20' x 14'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 1390
DUAL
FIRE
TRUCK



STRUCTURE#: FREPC1390
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 13' x 16'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 1395
DUAL
AIRPLANE
SPRING
RIDER



STRUCTURE#: FREPC1395
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 13' x 16'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

PC 1380 DUAL
MOTORCYCLE
SPRING
RIDER



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE#: FREPC1380
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 13' x 16'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 1385
DUAL
DINO



STRUCTURE#: FREPC1385
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 13' x 16'

PLAYCRAFT REP:
Service Supply Ltd., Inc.


OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

A2-NE
805
LARGE
ASTRO
NET



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE#: FRENE805
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 30' x 30'


PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW


ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	0/0	0/0


PC 4231
ROUND
PEDESTAL
PICNIC
TABLE



PC 4231
ROUND
PEDESTAL
PICNIC
TABLE



PC 4231
ROUND
PEDESTAL
PICNIC
TABLE



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: FREPC2443
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 22' x 23'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	3/0	1/0

FOR KIDS
AGES
5-12


GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.


WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PC
2471-2R35
DUAL
GYRO-POD
SPINNER
(ROTO)



PC
2471-2R35
DUAL
GYRO-POD
SPINNER
(ROTO)



PC
2471-2R35
DUAL
GYRO-POD
SPINNER
(ROTO)

STRUCTURE#: FREPC24712R35
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 50' x 30'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	0/0	0/0



FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

14'
Quad
Square
Shade
Canopy



STRUCTURE#: R50E0E50A/1
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 8' x 8'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	0/0	0/0



FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

14'
Quad
Square
Shade
Canopy

STRUCTURE#: R50E0E50A/2
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

MIN. USE ZONE: 8' x 8'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
33	31/8	0/8	52/11	5/5

R5


FOR KIDS
AGES
[Mixed]

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT#: SSL22DE2C1C
DATE: 7/6/2022


MIN. USE ZONE: 418' x 98'

PLAYCRAFT REP:
Service Supply Ltd., Inc.

OAK HILL ELEMENTARY
SW VIEW

R5

FOR KIDS
AGES
5-12




STRUCTURE#: NF526451A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
NE VIEW

R5


FOR KIDS
AGES
5-12



STRUCTURE#: NF526451A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2181+AB
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2181+AB/2
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2485C
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2496
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW

FOR KIDS
AGES
5-12




STRUCTURE#: FRENE802
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW

R5

FOR KIDS
AGES
5-12




STRUCTURE#: R5031355A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
NE VIEW

R5

FOR KIDS
AGES
5-12




STRUCTURE#: R5031355A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW

R5

FOR KIDS
AGES
5-12




STRUCTURE#: R50717BDA
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
NE VIEW


R5

FOR KIDS
AGES
5-12



STRUCTURE#: R50717BDA
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW



STRUCTURE#: FREENOTES
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW

R5

FOR KIDS
AGES
2-5




STRUCTURE#: R5048625A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
NE VIEW

R5


FOR KIDS
AGES
2-5



STRUCTURE#: R5048625A
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2479
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1921
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1390
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1395
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1380
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1385
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022


OAK HILL ELEMENTARY
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: FRENE805
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022


OAK HILL ELEMENTARY
SW VIEW



STRUCTURE#: STAPC4231
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW


FOR KIDS
AGES
5-12




STRUCTURE#: FREPC2443
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022

OAK HILL ELEMENTARY
SW VIEW

FOR KIDS
AGES
5-12




STRUCTURE#: FREPC24712R35
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022



OAK HILL ELEMENTARY
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R50E0E50A/2
PROJECT#: SSL22DE2C1C
DATE: 7/6/2022



Bill of Materials

OAK HILL ELEMENTARY

Project# SSL22DE2C1C

7/6/2022

Item	Description	Quantity
NF526451A		
HS-1004-R	Collars	112
HS-1004-R35	Collars R35	15
GF-7002	Dome Cap, R5	8
S-1010-R5-10ft	Post, 10ft R5	3
S-1011-R5-11ft	Post, 11ft R5	2
S-1012-R5-12ft	Post, 12ft R5	2
S-1014-R5-14ft	Post, 14ft R5	2
S-1015-R5-15ft	Post, 15ft R5	1
S-1018-R5-18ft	Post, 18ft R5	6
S-1102-R5	Tri-Deck	7
S-1103-R5	Hex Deck, Half (5 Post)	1
S-1110-R	Filler, 12in	1
S-1206-24IW45	ADA Stairs, 24in Rise w/ Infinity Walls	1
S-1209-30IW	Infinity Transfer Station, 42in-R	1
S-1234-8R	Climber, Spiral Step 90-96in	1
S-1293-R5	Net Tower Ladder	9
S-1301-IW	Wall, Infinity (Standard)	5
S-1301-IW24	Wall, Infinity 24in (Filler)	1
S-1303-R5	Single Slide SitDown Hood	1
S-1309-IW-R5	Infinity Half Walls (Pair)	2
S-1310-IW-R5	Infinity Transition Wall	1
S-1535-DTG-LR36	Climber, Crawl-Netix 36in (L-Shaped, DTG, R)	1
S-1608-R5	Memory Panel	1
S-1618-R5G	Seek Panel (Standard)	1
S-1644-R5	Gear Panel	1



Bill of Materials (continued)

Item	Description	Quantity
S-16522-R5G	Duo Panel	1
S-1701-3	Slide, Single 36in (Straight)	1
S-1709-X2SP-L	X-Tower Spiral Portal Slide Left	1
S-1709-X2SP-R	X-Tower Spiral Portal Slide Right	1
S-1803-R5	Roof, Hex	1
S-1850-R5	Arc Extension Topper	2
S-1926-LR5	Center Access Hex Net Deck (96in)	1
S-1928-XMN	XM Tower w/ Crawl Netix	1
S-1933-R5	Spin Cyclor	1
S-5101-H	Half Frame	1
S-5103	Geo-Hex Wall	1
S-5104	Hex Net Frame	1
S-5203-DL	Tri-Ring Bay (Deck)	1
S-5204-DL	Molecule Bay (Deck)	1
S-5303	Snake Net Extension	1
S-5304-BMIR	Bubble Mirror Extension	1
FREPC2181+AB		
A2-2181	PC 2181 8ft Single Post Swing Bay (2 Seat)	1
A2-2181-AB	PC 2181 8ft Single Post Swing Bay (2 Seat) AB	2
A2-313010	Belt Seat	6
FREPC2181+AB/2		
A2-131410	Inclusive Seat	2
A2-2181	PC 2181 8ft Single Post Swing Bay (2 Seat)	1
A2-2181-AB	PC 2181 8ft Single Post Swing Bay (2 Seat) AB	3
A2-313010	Belt Seat	6
FREPC2485C		
A2-2485-C	PC 2485-C Neutron Carousel	1
FREPC2496		
A2-2496	PC 2496 Inclusive Merry-Go-Round	1
FRENE802		

Item	Description	Quantity
A2-NE-802	NE 802 Regular Astro Net	1
R5031355A		
HS-1004-R	Collars	70
GF-7002	Dome Cap, R5	3
S-1011-R5-11ft	Post, 11ft R5	2
S-1012-R5-12ft	Post, 12ft R5	1
S-1016-R5-16ft	Post, 16ft R5	6
S-1019-R5-19ft	Post, 19ft R5	6
S-1102-R5	Tri-Deck	3
S-1103-R5	Hex Deck, Half (5 Post)	1
S-1106-R5	Hex Deck, Half (4 Post)	2
S-1109-R5-T	Balcony Deck w/ Telescope	1
S-1110-R	Filler, 12in	1
S-1201-8R5	Easy Access Step Ladder, 96in	1
S-1209-36-R5	Transfer Station, 48in-R	1
S-1220-5	Climber, Centipede 54-60in	1
S-1225-5R	Climber, Wave 54-60in	1
S-1297-EXT	Climber, Craze Wall (Right, Extended)	2
S-1297-EXT	Climber, Craze Wall (Left, Extended)	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1362-13112-R5	Push-Out Barrier (w/ Seat)	1
S-1362-16132-R5	Push-Out Barrier (Bug Eye)	1
S-1535-3DTD-V2	Climber, Crawl-Netix 36in (DTD, 36)	1
S-1607-R5	Maze Panel	1
S-1615-R5	Store Panel	1
S-1702-1122-4	Slide, Wave 48in (Double, w/ Extn)	1
S-1706-S8L-R5	Slide, Twister Spiral 96in (L)	1
S-1710-8-RRRSL	Slide, Twister 96in (R-R-R-S-L)	1
S-18026-18-R5	Shade Canopy, Hex 18ft	1



Bill of Materials (continued)

Item	Description	Quantity
S-18026-R5	Shade Canopy, Hex 14ft	1
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1962-R5	Playseat	1
R50717BDA		
HS-1004-R	Collars	4
GF-7002	Dome Cap, R5	2
S-1007-R5-07ft	Post, 07ft R5	2
S-1981-SWP	Sensory Play Wall (Playful)	1
FREENOTES		
LPAD-G-IG-STL	Lilypad Cymbals w/ Steel Post (IG, Green)	1
MUSH-MED-IG	Mushroom, Medium (IG)	1
TD-IG-N-RNBW	Tuned Drums (IG, Rainbow Lids)	1
YANZ-IG-STL	Yantzee w/ Steel Posts (IG)	1
R5048625A		
HS-1004-R	Collars	68
GF-7002	Dome Cap, R5	15
S-1009-R5-09ft	Post, 09ft R5	5
S-1010-R5-10ft	Post, 10ft R5	10
S-1015-R5-15ft	Post, 15ft R5	4
S-1101-R5	Square Deck	3
S-1102-R5	Tri-Deck	6
S-1211-R	Filler, Step - 24in, R5	1
S-1216-DLX-2	Climber, Grip Deluxe 18-24in	1
S-1221-3-HH	Climber, Chain Net 30-36in (w/ Handholds)	1
S-1224-3R	Climber, Stacked Loop 30-36in	1
S-1237-3R5	Climber, Vertical Rock 30-36in	1
S-1249-DDH0R5	Geo-Wave Link (Horizontal, DTD Left)	1
S-1305-R5	Double Slide SitDown Wall	1
S-1309-2-R5	Half Walls (Pair) R5	3
S-1313-R5	Handle	1



Bill of Materials (continued)

Item	Description	Quantity
S-1406-90R5	Traverse, Horizontal Ladder (7-Rung)	1
S-1414-3-HH-R5	Climber, Step-Up 36in (Lily-Pad, Hand Rails)	1
S-1501-45R5	Bridge, Arch (45in)	1
S-1618-FARMR5	Seek Panel (Farm)	1
S-1644-R5	Gear Panel	1
S-1655-3R5	Reach Panel, 36in	1
S-1701-2R5V2	Slide, Single 24-30in (Straight)	1
S-1702-3R5	Slide, Double 36in	1
S-18027-R520	Shade Sail Canopy, 20ft	1
S-1910-R5	Talk Tube (Post Mounted, Left)	2
S-1962-R5	Playseat	1
S-1963-R5	Seat on Post	1
FREPC2479		
A2-2479	PC 2479 Mini-Go-Round	1
FREPC1921		
A2-1921	PC 1921 Tyke Seesaw	1
FREPC1390		
A2-1390	PC 1390 Dual Fire Truck	1
FREPC1395		
A2-1395	PC 1395 Dual Airplane Spring Rider	1
FREPC1380		
A2-1380	PC 1380 Dual Motorcycle Spring Rider	1
FREPC1385		
A2-1385	PC 1385 Dual Dino	1
FRENE805		
A2-NE-805	NE 805 Large Astro Net	1
STAPC4231		
A3-4231	4231 Round Pedestal Picnic Table	3
FREPC2443		
A2-2443	PC 2443 Spring Fling, Tri	1



Bill of Materials (continued)

Item	Description	Quantity
FREPC24712R35		
A2-2471-2R35	PC 2471-2R35 Dual Gyro-Pod Spinner (Roto)	3
R50E0E50A/1		
S-1011-R5-11ft	Post, 11ft R5	4
S-18021-R5QD14	Shade Canopy, 14ft Quad Square	1
HS-1007-R5	Extra Hardware	1
R50E0E50A/2		
S-1011-R5-11ft	Post, 11ft R5	4
S-18021-R5QD14	Shade Canopy, 14ft Quad Square	1
HS-1007-R5	Extra Hardware	1