


**IMPORTANT NOTES: Read First**

(A) Use liquid thread lock (such as Loctite®) with all threaded hardware. **Important:** Liquid thread lock (prior to curing) helps to eliminate the common problem of "thread seizure" in stainless steel hardware by serving as a lubricant during assembly.

(B) See component installation instructions for Event Hanger heights and locations.



**FIGURE 1**  
Single Arm Event Hanger



**NOTE:** Right Turn Event Hanger shown.  
Other configurations will vary slightly, but  
does not affect assembly.

# Step 1

Refer to Elevation View, locate mounting holes and remove required post plugs for assembly.  
Heights shown from finish grade to mounting hole.  
(See Note B)




**Figure 1.1**

# Step 2 (Factory Assembled)


Attach Event Hanger Caps to Event Hanger as shown in Figure 1.1. (See Note A)

## Step 3

Refer to Elevation View and attach Event Hanger to Post as shown in Figure 1.2. (See Notes A & B)



**Figure 1.1**



**FIGURE 2**

## Step 4

### For Pin and House Connections

Locate and attach Mount Plug House as shown in Figure 2. (See Note A)

## Step 5

Fully tighten all fasteners according to the "TIGHTENING TORQUE FOR HARDWARE" section of the Installation Manual.

# SINGLE ARM EVENT HANGER INSTALLATION INSTRUCTIONS

**RV-21004**  
Page 4 of 4

## Parts List

S-21004		
Part #	DESCRIPTION	QTY
4-9339042	Washer Flat 3/8" x 7/8" O.D. x .100" Thick	4
9103052-TR	Bolt Button Head 3/8" x 1"	4

S-21004-PH		
Part #	DESCRIPTION	QTY.
4-9339042	Washer Flat 3/8" x 7/8" O.D. x .100" Thick	4
9103052-TR	Bolt Button Head 3/8" x 1"	4
9143062-TR	Bolt Shoulder 3/8" x 1-3/8" BH	1
9263012-TR	3/8" x 1/2" Socket Set Screw	1
9345002	Washer Flat SAE 1/2"	2
9443062-TR	Nut Barrel 3/8" x 1-3/8"	1

S-21004-DBLD		
Part #	DESCRIPTION	QTY.
FS-21004-DBLD	Event Hanger Double Down	1
9103052-TR	Bolt Button Head 3/8" x 1"	8
4-9339042	Washer Flat 3/8" x 7/8" O.D. x .100" Thick	8

## Assembled Parts List

S-21004		
Part #	DESCRIPTION	QTY
EE-0011-C	Event Hanger Cap	1
EE-0011-M	Event Hanger Mid Cap	1
Varies	Event Hanger	1
9103082-TR	Bolt Button Head 3/8" x 1-3/4"	1
9333042	Washer Flat 3/8" x 7/8" O.D.	1

S-21004-PH		
Part #	DESCRIPTION	QTY.
EE-0011-C	Event Hanger Cap	1
EE-0011-M	Event Hanger Mid Cap	1
FS-21004-PRHL	Two Way Event Hanger PRHL	1
9103082-TR	Bolt Button Head 3/8" x 1-3/4"	1
9333042	Washer Flat 3/8" x 7/8" O.D.	1

## Specifications

### EVENT HANGER:

Shall be fabricated using 2.375" O.D. 10 gauge steel tubing with welded 1.900" O.D. 11 gauge support rail, 1/4" thick stainless steel mounting brackets and welded stainless steel pin and/or house. The Event Hanger shall have a multi-stage baked-on powder coat finish.

### EVENT HANGER CAPS:

Shall be made from high density 3/4" sheet plastic specially formulated for optimum UV stability and color retention.

### HARDWARE:

Shall be stainless steel, zinc/nickel plated or galvanized as required to resist rust and corrosion.

## Maintenance

Periodically tighten all screws, bolts and nuts. A periodic inspection of all parts is necessary. If a part is broken or worn, replace immediately. For general maintenance please refer to our Playground Maintenance Manual.



Manufactured by Krauss Craft, Inc.  
www.playcraftsystems.com

For Customer Service Call  
800.333.8519 (U.S.A.) or  
541.955.9199 (International)

**Rev E**  
10/29/2013