


Playground Equipment Manual

This manual and all of its contents must be kept on hand at the Playground Equipment Site.



Project Name KENNEWICK SAGE CREST ES

Distributor AllPlay Systems

Purchase ID f4da9426badd4b4063b

SO Number

PO Number 2023-109

Order Date 2/24/2023

RV5

FOR KIDS
AGES
5-12

Contents

- Packing List and Installation Guide for every component in your Playground Equipment.
- Warning and Age Appropriate Labels.
- Installation Manual
- Construction Views (Top View, Site Plan, Perspective Views).
- Maintenance Manual w/ Safety and Repair Information.



(800) 333-8519

KENNEWICK SAGE CREST ES

TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 0 | 0/0 | 0/0 | 15/0 | 2/0 |
| CHILD CAPACITY | 73 | MAX FALL HEIGHT | 96 | |




NOTES:

1. Post footing dimensions are from centers of support posts.
2. This structure meets the USCPSC and ASTM guidelines for playground safety.
3. This equipment was designed for use by children 5-12 years of age.
4. **WARNING:** An impact absorbing safety surfacing is required under and around all playground equipment.

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # REV59C3DA
 PROJECT # 2023-109
 DATE 6/14/2023

AllPlay Systems

MIN. USE ZONE 56' x 24' (16.783m x 7.221m)



KENNEWICK SAGE CREST ES

TOP VIEW (Footings)


ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| | | | | |
|----------------|------------|-----------------|--------|-------|
| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
| 0 | 0/0 | 0/0 | 15/0 | 2/0 |
| CHILD CAPACITY | 73 | MAX FALL HEIGHT | 96 | |



| # | TYPE | SIZE/DEPTH | LOCATIONS |
|---|-------------|-----------------------|-----------|
| A | PostFooting | W:18" x L:18" x D:30" | 16 |
| B | EF12 | W:12" x L:12" x D:18" | 25 |
| C | EF44 | W:44" x L:44" x D:30" | 1 |

| # | X | Y | DIAG | # | X | Y | DIAG | # | X | Y | DIAG | # | X | Y | DIAG |
|----|---------|--------|---------|----|---------|--------|---------|----|---------|--------|---------|----|--------|--------|---------|
| 1 | 0'-0" | 0'-0" | 0'-0" | 12 | 23'-5" | 4'-3" | 23'-10" | 23 | 19'-9" | -2'-1" | 19'-11" | 34 | 30'-5" | 7'-2" | 31'-3" |
| 2 | 0'-0" | 4'-0" | 4'-0" | 13 | 27'-5" | 4'-3" | 27'-9" | 24 | 19'-10" | 0'-1" | 19'-10" | 35 | 30'-5" | -1'-5" | 30'-6" |
| 3 | 3'-6" | 6'-0" | 6'-11" | 14 | 31'-5" | 0'-3" | 31'-5" | 25 | 19'-10" | 4'-6" | 20'-4" | 36 | 32'-5" | 7'-2" | 33'-3" |
| 4 | 3'-6" | -2'-0" | 4'-0" | 15 | 35'-5" | 0'-3" | 35'-5" | 26 | 20'-8" | -1'-4" | 20'-8" | 37 | 34'-5" | 5'-11" | 34'-11" |
| 5 | 6'-11" | 4'-0" | 8'-0" | 16 | 35'-5" | 4'-3" | 35'-8" | 27 | 20'-8" | 5'-10" | 21'-6" | 38 | 36'-7" | -1'-8" | 36'-7" |
| 6 | 6'-11" | 0'-0" | 6'-11" | 17 | 9'-4" | 7'-3" | 11'-9" | 28 | 21'-5" | -2'-9" | 21'-8" | 39 | 36'-7" | 6'-2" | 37'-1" |
| 7 | 10'-11" | 4'-0" | 11'-8" | 18 | 10'-11" | 7'-3" | 13'-1" | 29 | 21'-5" | 7'-3" | 22'-8" | 40 | 37'-7" | -3'-5" | 37'-8" |
| 8 | 14'-11" | 4'-0" | 15'-5" | 19 | 12'-6" | 7'-3" | 14'-6" | 30 | 24'-5" | -1'-5" | 24'-6" | 41 | 37'-7" | 7'-11" | 38'-5" |
| 9 | 14'-11" | 0'-0" | 14'-11" | 20 | 18'-6" | 4'-4" | 19'-0" | 31 | 26'-5" | -2'-8" | 26'-7" | 42 | 38'-5" | 2'-3" | 38'-6" |
| 10 | 18'-5" | 2'-0" | 18'-6" | 21 | 18'-6" | -0'-2" | 18'-6" | 32 | 28'-5" | 5'-11" | 29'-0" | | | | |
| 11 | 23'-5" | 0'-3" | 23'-5" | 22 | 19'-9" | 6'-1" | 20'-8" | 33 | 28'-5" | -2'-8" | 28'-7" | | | | |



STRUCTURE # REV59C3DA
 PROJECT # 2023-109
 DATE 6/14/2023

AllPlay Systems
 MIN. USE ZONE 56' x 24' (16.783m x 7.221m)



KENNEWICK SAGE CREST ES

SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 0 | 0/0 | 0/0 | 15/0 | 2/0 |




GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # 2023-109
DATE 6/14/2023

AllPlay Systems

MIN. USE ZONE 56' x 24' (16.783m x 7.221m)



KENNEWICK SAGE CREST ES
SW VIEW

RV5

FOR KIDS
AGES
5-12




STRUCTURE # REV59C3DA
PROJECT # 2023-109
DATE 6/14/2023

KENNEWICK SAGE CREST ES
SE VIEW

RV5

FOR KIDS
AGES
5-12



STRUCTURE # REV59C3DA
PROJECT # 2023-109
DATE 6/14/2023

KENNEWICK SAGE CREST ES
NE VIEW

RV5

FOR KIDS
AGES
5-12



STRUCTURE # REV59C3DA
PROJECT # 2023-109
DATE 6/14/2023

KENNEWICK SAGE CREST ES
NW VIEW

RV5

FOR KIDS
AGES
5-12



STRUCTURE # REV59C3DA
PROJECT # 2023-109
DATE 6/14/2023