


Playground Equipment Manual

This manual and all of it's contents must be kept on hand at the Playground Equipment Site.



Project Name NEW LIBERATION PARK

Distributor Service Supply Ltd., Inc.

Purchase ID 7ca682fcf0b00139b540

SO Number

PO Number 27831

Order Date 11/27/2023

RV5

FOR KIDS
AGES
5-12

Contents

- Packing List and Installation Guide for every component in your Playground Equipment.
- Warning and Age Appropriate Labels.
- Installation Manual
- Construction Views (Top View, Site Plan, Perspective Views).
- Maintenance Manual w/ Safety and Repair Information.



(800) 333-8519

NEW LIBERATION PARK

TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	17/0	1/0
CHILD CAPACITY	74	MAX FALL HEIGHT	96	

RV5

FOR KIDS
AGES
5-12

NOTES:

1. Post footing dimensions are from centers of support posts.
2. It is the opinion of the manufacturer that this design meets the accessibility requirements of the ADAAG and ASTM F1487-17 when properly installed over accessible surfacing.
3. This structure meets the USCPSC and ASTM guidelines for playground safety.
4. This equipment was designed for use by children 5-12 years of age.
5. WARNING: An impact absorbing safety surfacing is required under and around all playground equipment.



GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE # REV95B93A
PROJECT # 27831
DATE 12/27/2023

Service Supply Ltd., Inc.

MIN. USE ZONE 48' x 44' (14.494m x 13.224m)

NEW LIBERATION PARK


TOP VIEW (Footings)

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	17/0	1/0
CHILD CAPACITY	74	MAX FALL HEIGHT	96	

RV5

FOR KIDS
AGES
5-12



MOUNT LOCATIONS TABLE

#	TYPE	SIZE/DEPTH	LOCATIONS
A	EF12	W:12" x L:12" x D:18"	45
B	PostFooting	W:18" x L:18" x D:30"	17

MOUNT ORDINATE TABLE

#	X	Y	DIAG	#	X	Y	DIAG
1	0'-0"	0'-0"	0'-0"	32	11'-6"	11'-9"	16'-5"
2	0'-0"	5'-7"	5'-7"	33	11'-7"	-1'-6"	11'-8"
3	8'-0"	5'-7"	9'-9"	34	11'-9"	17'-10"	21'-4"
4	8'-0"	0'-0"	8'-0"	35	12'-3"	4'-4"	13'-0"
5	8'-0"	13'-8"	15'-10"	36	12'-10"	2'-11"	13'-2"
6	12'-10"	5'-8"	14'-0"	37	13'-6"	20'-10"	24'-10"
7	14'-1"	15'-3"	20'-9"	38	14'-10"	-2'-10"	15'-1"
8	16'-9"	-5'-7"	17'-8"	39	16'-9"	-2'-11"	17'-0"
9	16'-11"	20'-1"	26'-3"	40	16'-11"	22'-4"	28'-0"
10	16'-11"	6'-10"	18'-3"	41	16'-11"	24'-4"	29'-8"
11	19'-9"	15'-3"	24'-11"	42	18'-10"	-3'-0"	19'-0"
12	20'-10"	5'-8"	21'-7"	43	20'-4"	20'-10"	29'-2"
13	25'-8"	13'-7"	29'-1"	44	20'-10"	2'-11"	21'-0"
14	25'-8"	5'-8"	26'-3"	45	21'-5"	4'-4"	21'-10"
15	25'-8"	0'-0"	25'-8"	46	22'-1"	-1'-7"	22'-2"
16	33'-8"	0'-0"	33'-8"	47	22'-1"	17'-10"	28'-5"
17	33'-8"	5'-7"	34'-2"	48	22'-4"	11'-9"	25'-2"
18	0'-5"	7'-7"	7'-7"	49	23'-5"	3'-6"	23'-8"
19	0'-10"	12'-9"	12'-10"	50	23'-5"	1'-8"	23'-6"
20	0'-10"	9'-8"	9'-9"	51	24'-0"	14'-9"	28'-2"
21	1'-7"	2'-10"	3'-3"	52	25'-8"	1'-9"	25'-9"
22	2'-4"	11'-3"	11'-6"	53	25'-8"	3'-11"	26'-0"
23	3'-9"	2'-10"	4'-8"	54	27'-7"	13'-2"	30'-7"
24	3'-11"	12'-9"	13'-4"	55	27'-10"	2'-10"	28'-0"
25	5'-10"	2'-10"	6'-6"	56	29'-9"	12'-9"	32'-4"
26	6'-1"	13'-1"	14'-5"	57	29'-11"	2'-10"	30'-1"
27	8'-0"	3'-11"	8'-11"	58	31'-4"	11'-3"	33'-4"
28	8'-0"	1'-9"	8'-2"	59	32'-1"	2'-10"	32'-2"
29	9'-9"	14'-9"	17'-8"	60	32'-10"	9'-8"	34'-2"
30	10'-2"	1'-9"	10'-4"	61	32'-10"	12'-9"	35'-3"
31	10'-3"	3'-7"	10'-11"	62	33'-2"	7'-7"	34'-0"

STRUCTURE # REV95B93A
PROJECT # 27831
DATE 12/27/2023

Service Supply Ltd., Inc.

MIN. USE ZONE 48' x 44' (14.494m x 13.224m)

NEW LIBERATION PARK
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	17/0	1/0

RV5


FOR KIDS
AGES
5-12

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # 27831
DATE 12/27/2023


Service Supply Ltd., Inc.
MIN. USE ZONE 48' x 44' (14.494m x 13.224m)



NEW LIBERATION PARK
SW VIEW

RV5

FOR KIDS
AGES
5-12




STRUCTURE # REV95B93A
PROJECT # 27831
DATE 12/27/2023

NEW LIBERATION PARK
SE VIEW

RV5

FOR KIDS
AGES
5-12




STRUCTURE # REV95B93A
PROJECT # 27831
DATE 12/27/2023

NEW LIBERATION PARK
NE VIEW

RV5

FOR KIDS
AGES
5-12



STRUCTURE # REV95B93A
PROJECT # 27831
DATE 12/27/2023

NEW LIBERATION PARK
NW VIEW

RV5

FOR KIDS
AGES
5-12



STRUCTURE # REV95B93A
PROJECT # 27831
DATE 12/27/2023